



声明:本文档只简单说明通过 Serv-U 创建 FTP 用户的方法,涉及安全或其它方面的详细说明,请您查阅相关文档

1. 打开 Serv-U Administrator->Local Server(本地服务器)->将”Start automatically(自动开始)”选上



2. 右键单击 Domains(域)->New Domain(新建域)



3.输入服务器 IP 地址,例如 218.218.218.218->Next

The dialog box is titled "Add new domain - step 1". It contains the following text: "Please enter the IP address for the new domain, or leave blank to use any available IP (dynamic IP address). The IP address should be supported by your network and not used yet by any other domain." Below this text is a text input field labeled "Domain IP address" containing the value "218.218.218.218". At the bottom, there are two buttons: "Cancel" (with a red X icon) and "Next" (with a blue arrow icon).

4.输入 Domain name(域名),例如 test.com->Next

The dialog box is titled "Add new domain - step 2". It contains the following text: "Please enter a descriptive name for the new domain. This can be the IP name (like ftp.domain.com) or any other description that is not yet used by any other domain." Below this text is a text input field labeled "Domain name" containing the value "test.com". At the bottom, there are three buttons: "Previous" (with a blue arrow icon), "Cancel" (with a red X icon), and "Next" (with a blue arrow icon).


5.输入 Domain port number 21(域端口号)->Next

The dialog box is titled "Add new domain - step 3". It contains the following text: "Please enter the port number for the new domain. Port numbers are between 1 and 65535. Default port for FTP servers is port 21." Below this text is a text input field labeled "Domain port number" containing the value "21". At the bottom, there are three buttons: "Previous" (with a blue arrow icon), "Cancel" (with a red X icon), and "Next" (with a blue arrow icon).

6.根据您的需求选择 Domain type(域类型)

The dialog box is titled "Add new domain - step 4". It contains the following text: "Please select where this domain should be stored. For small domains the .INI file is preferred, for large domains (>500 users) the registry provides faster performance." Below this text is a dropdown menu labeled "Domain type" with the following options: "Store in .INI file", "Store in computer registry", "Store in ODBC database", and "Use Windows NT-SAM/AD user accounts". The "Store in .INI file" option is currently selected.


7.选择刚才建立的 test.com 域->右键单击 Users(用户)->New User(新建用户)




8.输入 User name(用户名称),例如 test->Next




9.输入 Password(密码)->Next



10.输入 Home directory(主目录),例如 D:\test->Next



11.Lock user in home directoty(是否锁定用户于主目录)?->选择 Yes->Next



12.选择刚才建立的用户 test->Dir Access(目录访问)->按以下说明和图示设置->Apply(应用)  
Files(文件):Read,Write,Append,Delete(读取,写入,追加,删除)  
Directories(目录):List,Create,Remove(列表,创建,移除)

